app. led for use through 10/31/2002. OMB 0651-003

U.S. Patent & Trademark Office: U.S. DEPARTMENT OF COMMERCE Under the Paperwork Paperw

COMPLETE IF KNOWN Substitute for form 1449A/PTO **Application Number** 09/845,685 **Filing Date** 04/30/01 INFORMATION DE First Named Inventor LIN STATEMENT BY **Group Art Unit** 2872 **Examiner Name** Unknown SHEET OF **Docket Number** LIGHT1920

	·			U.S. PATENT DOCUME	NTS	
Examiner Initials*	Cite No.1	U.S. Patent Number				Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear
EI	1	4,618,210	(Kondo	10-21-1986	rigures Appear
Z	2	4,747,654		Yi-Yan	03-31-1988	
(2)	3	4,813,757		Sakano et al.	03-21-1989	
	4	4,846,542		Okayama	07-11-1989	
<u>//} </u>	5	5,002,350		Dragone	03-26-1991	
	6	5,013,113		Soref	05-07-1991	
	7	5,039,993		Dragone	08-13-1991	
/ \/,	8	5,243,672		Dragone	09-07-1993	
	9	5,412,744		Dragone	05-02-1995	
	10	5,450,511		Dragone	09-12-1995	
M	11	5,467,418		Dragone	11-14-1995	
M	12	5,581,643		Wu	12-03-1996	
/A/	13	5,706,377		Li	01-06-1998	
HA	14	5,841,931		Foresi et. al.	11-24-1998	
60 n	15	5,938,811		Greene	08-17-1999	
TY X	16	6,108,478		Harpon et al.	08-22-2000	
$\mathscr{I} \vee \mathcal{I}$	17	6,118,909		Chen et al.	09-12-2000	

	T			F	OREIGN PATENT DOCUMENT	rs		
Examiner Initials*	Cite No.1	Foreign Patent Document Office ³ Number ⁴ Kind Code ⁵		Name of Patentee or Applicant of Cited Document	Date of Publication of Cited Document	Pages, Columns, Lines, Where Relevant Passages	T6	
	ļ. <u></u>		(if known)	(If known)	or cited bocament	MM-DD-YYYY	or Relevant Figures Appear	
	18	EPO	0647861A1		AT&T Corp.	12.04.1995		
-KA	19	EPO	0985942A2		Lucent Technologies, Inc.	15.03.2000		
	20	Japan	2-179621		Oki Electric Ind. Co. Ltd.	12.7.1990		
Kla	21	Japan	6-186598		Hitachi.Ltd.	8.7.1994		
17/	22	Japan	63-197923		NEC Corp.	16.8.1988		

	OTHER PRIOR ART - NON PATENT LITERATURE DOCUMENTS						
Examiner Initials*	Cite No.1	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published	T ₆				
P)	23	ABE, et al., Optical Path Length Trimming Technique using Thin Film Heaters for Silica-Based Waveguides on Si, Electronics Letters, September 12, 1996, Vol. 32-No. 19, pp. 1818-1820.					
N	24	ALBERT, J., Planar Fresnel Lens Photoimprinted in a Germanium-Doped Silica Optical Waveguide, Optics Letters, May 15, 1995, Vol. 20-No. 10, pp 1136-1138					
RI	25	AMAN, M.C., Calculation of Metal-Clad Ridge-Waveguide (MCRW) Laser Modes by Mode Coupling Technique, Journal of Lightwave Technology, VOL LT-4, No.6, June 1986, pg 689-693					

Examiner Signature Lynthy Sull Date Considered 5/20/02

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

¹Unique citation designation number. ²See attached Kinds of U.S. Patent Documents. ³Enter Office that issued the document, by the two letter-code (WIPO Standard ST.3). ⁴For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. ⁵Kind of document by the appropriate symbols as indicated on the document under WIPO Standard St. 16 if possible. ⁶Applicant is to place a check mark here if English language translation is attached.

pp ed for use through 10/31/2002. OMB 0651-003

U.S. Patent & Trademark Office: U.S. DEPARTMENT OF COMMERCE Under the Papery ork Deduction Action of 1995, no persons are required to response to a collection of information unless it contains a valid OMB number.

		1	3		COMPLETE IF KNOWN	· ·
Substitute fo	r form 1449A/PT	JAN	2 5 2002	Application Number	09/845,685	
	INFORMAT	ION MECH OF	Supe 🎉	Filing Date	04/30/01	
	CTATEMEN	IL DA VIGORIO	ONI ART BETT	First Named Inventor	LIN	
	(use as ma	ny chaate nace	BEWART	Group Art Unit	2872	
(use as many streets necessary)		Examiner Name	Unknown			
SHEET	2	OF	6	Docket Number	LIGHT1920	

Examiner	Cito	OTHER PRIOR ART - NON PATENT LITERATURE DOCUMENTS	T
Examiner Initials*	Cite No.1	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published	T
	26	AMANN, M.C. et al, Calculation Of The Effective Refractive-Index Step For The Metal-Cladded-Ridge-Waveguide Laser, Applied Optics, VOL 20, No.8, Apr 15 1981, pg 1483-1486	<u> </u>
KD	27	BABA, S. et al., A Novel Integrated-Twin-Guide (ITG) Optical Switch with a Built-in TIR Region; IEEE Photonics Technology Letters; VOL 4, No.5, May 1992, pg 486-488	
	28	BENSON, T.M., Etched-Wall Bent-Guide Structure for Integrated Optics in the III-V Semiconductors; Journal of Lightwave Technology, VOL LT-2, No.1, Feb 1984; pg 31-34	
	30	BERRY, G.M. et al., Analysis Of Multiplayer Semiconductor Rib Waveguides With High Refractive Index Substrates, Electronics Letters; VOL 29, No.22; Oct 28 1993, pg 1941-1942	
	31	BETTY, I. et al., A Robust, Low-Crosstalk, InGaAsP/InP Total-Internal-Reflection Switch For Optical Cross-Connect Application	1
PX.	32	BURKE, S.V., Spectral Index Method Applied to Coupled Rib Waveguides; Electronics Letters, VOL 25, No.9, Apr 27 1989, pg 605-606	1
	33	BURNS, W.K. et al., Mode Conversion in Planar-Dielectric Separating Waveguides; IEEE Journal of Quantum Electronics, VOL QE-11, No.1, Jan 1975; pg 32-39	
[h])	34	CAI, Y. et al., A Novel Three-Guide Optical Coupler Using A Taper-Formed Waveguide; j. Appl. Phys 69(5), Mar 1991; pg 2810-2814	
	35	CAVAILLES, J.A. et al., First Digital Optical Switch Based on InP/GalnAsP Double Heterostructure Waveguides; Electronics Letters, VOL 27, No.9, Apr 25 1991, pg 699-700	
M	36	CHEN, R.T. et al., Design and Manufacturing of WDM Devices; Proceedings of SPIE VOL 3234	
Sign	37	CLEMENS, et al., Wavelength-Adaptable Optical Phased Array in SiO₂Si, Photonics Technology Letters, October 1995, Vol. 7-No 10, 1040-1041.	
$/\!\!/\!\!/$	38	DAGLI, N. et al., Analysis of Rib Dielectric Waveguides; IEEE Journal of Quantum Electronics, VOL QE-21, No.4, Apr 1985, Pg 315-321	
1	39	DAGLI, N. et al., Theoretical and Experimental Study of the Analysis and Modeling of Integrated Optical Components; IEEE Journal of Quantum electronics, VOL 24, No.11, November 1988; pg 2215-2226	
MA	40	DERI, R.J., et al., Low-Loss GaAs/AlGaAs Waveguide Phase Modulator Using A W- Shaped Index Profile; Sep 6 1988	
	41	DERI, R.J., et al., Low-Loss Multiple Quantum Well GalnAs/InP Optical Waveguides; Feb 21, 1989	-
R)	42	DEVAUX, F. et al., 20Gbit/s Operation of a High-Efficiency InGaAsP/InGaAsP MQW Electroabsorption Modulator With 1.2-V Drive Voltage; IEEE Photonics Technology Letters, VOL 5, No.11, Nov 1993, pg 1288-1290	ļ —
JA	43	DOERR, C.R. et al., Chirping Of The Waveguide Grating Router For Free-Spectral-Range Mode Selection In The Multifrequency Laser, IEEE Photonics Technology Letters, April 1996, Vol. 8-No. 4, pp 500-502	
40	44	DOERR, C.R. et al., Chromatic Focal lane Displacement in the Parabolic Chirped Waveguide Grating Router, May 1997, Vol. 9-No. 5, pp 625-627	
	45	DRAGONE, C. Efficient NXN Star Couplers Using Fourier Optics, pp 479-48, March 1989, Vol. 7-No. 3, Journal of Lightwaye Technology	
	46	FISCHER, et al., Singlemode Optical Switches Based on SOI Waveguides with Large Cross-Section, Electronics Letters, March 3, 1994, Vol. 30-No.5, pp. 406-408.	
nd	47	FISCHER, K. et al, Sensor Application Of SiON Integrated Optical Waveguides On Silicon; Elevier Sequoia, 1992; pg 209-213	
W	48	FISH, G. et al., Monolithic InP Optical Crossconnects: 4x4 and Beyond, JWB2-1, Pg 19-21	
	49	FURUTA, H. et al, Novel Optical Waveguide For Integrated Optics, Applied Optics, VOL. 13, NO. 2, Feb. 1974, pg. 322-326	
	50	GINI, E. et al., Low Loss Self-Aligned Optical Waveguide Corner Mirrors in InGaAsP/InP, We P2.22	<u> </u>
1	51	GOEL, K. et al Design Considerations for Low Switching Voltage Crossing Channel Switches; Journal of Lightwave Technology, VOL 6, No.6, June 1988; pg 881-886	

		<i>1</i> — — — — — — — — — — — — — — — — — — —		
Examiner Signature	Klontinu S	Date Considered	5/20/02	
		70		

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

¹Unique citation designation number. ²See attached Kinds of U.S. Patent Documents. ³Enter Office that issued the document, by the two letter-code (WIPO Standard ST.3). ⁴For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. ⁵Kind of document by the appropriate symbols as indicated on the document under WIPO Standard St. 16 if possible. ⁶Applicant is to place a check mark here if English language translation is attached.

Approved for use through 10/31/2002. OMB 0651-003

U.S. Patent & Trademark Office: U.S. DEPARTMENT OF COMMERCE U.S. DEPARTMENT OF COMMERCE of the Paperwork Reduction of 1995, no persons are required to response to a collection of information unless it contains a valid OMB number.

		1	S		COMPLETE IF KNOWN		
Substitute f	for form 1449A/PTO	JAN .	2 5 2002 Kg	Application Number	09/845,685		
	INFORMATION	UNECH DON	- (44	Filing Date	04/30/01		
	STATEMENT B	A VOINTICV	ALT . OF	First Named Inventor	LIN		
	luse as many sh	eats nacass	DEMARK	Group Art Unit	2872		
STATEMENT BY ARM LICANT (use as many sheets necessar) DEMARK				Examiner Name	Unknown		
SHEET	3	OF	6	Docket Number	1 ICHT1020		

		OTHER PRIOR ART - NON PATENT LITERATURE DOCUMENTS	
Examiner Initials*	Cite No.1	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published	T ₆
M,	52	GRANESTRAND, P. et al., Integrated Optics 4x4 Switch Matrix with Digital Optical Switches; Electronics Letters, VOL 26, No.1, Jan 4, 1990; pg 4-5	
N	53	January 1988, Vol. 6-No. 1, 41-46.	
M_	54	HSU, K.Y. et al., Photonics devices and Modules, www.cc.nctu.edu.tw/~ctr/lee_mti/research_topic/photonic_devices_modules.htm, pp 1-3.	
B	55	HUANG, T.C. et al., Depletion Edge Translation Waveguide Crossing Optical Switch; IEEE Photonics Technology Letters; VOL 1, No.7, Jul 1989, pg 168-170	
1721	56	HUTCHESON, L.D. et al., Comparison of Bending Losses in Integrated Optical Circuits; Optics Letters, VOL 5, No.6, Jun 1980, pg 360-362	
N_{\perp}	57	INOUE, H. et al, Low Loss GaAs Optical Waveguides, Journal of Lightwave Technology, VOL LT-3, No 6, Dec. 1985; pg 204-209	
PD	58	IRACE, A. et al., Fast Silicon-on-Silicon Optoelectronic Router Based on a BMFET Device, Journal of Selected Topics in Quantum Electronics, January/February 2000, Vol. 6-No. 1, pp. 14-18.	
	59	ITO, F. et al., Carrier-Injection-Type Optical Switch In GaAs With A 1.06-1.55 μm Wavelength Range; Appl. Physics Letters, 54(2) Jan 9, 1989; pg 134-136	
FD_	60	JACKMAN, N. et al., Optical Cross Connects for Optical Networking; Bell Labs Technical Journal, Jan-Mar. 1999; pg 262-281	
Sex.	61	JOHNSTON, I.R., et al., Silicon-Based Fabrication Process For Production Of Optical Waveguides; IEE Proc-Optoelectron., VOL 143, No.1, Feb 1996, pg 37-40	~
M.	62	KAENKO, A. et al., Athermal Silica-based Arrayed-waveguide Grating (AWG) Multiplexers with New Low Loss Groove Design; TuO1-1, pg 204-206	
N/	63	KASAHARA, R. et al., Low-Power Consumption Slica-Based 2x2 Thermooptic Switch Using Trenched Silicon Substrate, IEEE Photonics Technology Letters, VOL 11, No. 9, Sep 1999, pg 1132-1134	
K)	64	KHAN, M.N. et al., Fabrication-Tolerant, Low-Loss, and High-Speed Digital Optical Switches in InGaAsP/InP Quantum Wells; Proc 21st Eur.Conf.on Opt.Comm.(ECOC '95-Brussels), pg 103-106	
15/	65	KHAN, M.N. et al., High-Speed Operation of Quantum Well Electron Transfer Digital Optical Switches; pg 102-102c	
M,	66	KIRIHARA, T. et al., Lossless And Low Crosstalk 4x4 Optical Switch Array; Electronics And Communications In Japan, Part 2, VOL 77, No.11, 1994, pg 73-81	
16/	67	KIRIHARA, T. et al., Lossless and Low-Crosstalk Characteristics in an InP-Based 2x2 Optical Switch, IEEE Photonics Technology Letters, VOL 5, No. 9 Sept 1993, pg 1059-1061	
Me	68	KOKUBUN, Y. et al., Athermal Waveguides for Temperature-Independent Lightwave Devices, November 1993, 1297-1298, Vol. 5-NO. 11, IEEE Photonics Technology Letters.	ж.
Re	69	KOKUBUN, Y. et al., Temperature-Independent Narrowband Optical Filter at 1.3 μm Wavelength by an Athermal Waveguide, 10 th October 1996, Vol. 32-No. 21, Electronics Letters	
KJ,	70	KOKUBUN, Y. et al., Temperature-Independent Optical Filter at 1.55 μm Waveguide Using a Silica-Based Athermal Waveguide, 19 February 1998, Vol. 34-No. 4, Electronics Letters	
File	71	KOKUBUN, Y. et al., Three-Dimensional Athermal Waveguides for Temperature Independent Lightwave Devices, 21st July 1994, Vol. 30-No. 15, Electronics Letters	:
5/	72	KOSTRZEWA, C. et al., Tunable Polymer Optical Add/Drop Filter for Multiwavelength Networks, Photonics Technology Letters, November 1997, Vol. 9-No. 11, 1487-1489.	
	73	LAAKMAN, K. D. et al., Waveguides: Characteristic Modes Of Hollow Rectangular Dielectric Waveguides; Applied Optics, VOL 15, No. 5, May 1976; pg 1334-1340.	

Г	V	
Examiner Signature	Date Considered	5/20/02
	1990000	

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

¹Unique citation designation number. ²See attached Kinds of U.S. Patent Documents. ³Enter Office that issued the document, by the two letter-code (WIPO Standard ST.3). ⁴For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. ⁵Kind of document by the appropriate symbols as indicated on the document under WIPO Standard St. 16 if possible. ⁶Applicant is to place a check mark here if English language translation is attached.

Approved for use through 10/31/2002. OMB 0651-003

U.S. Patent & Trademark Office: U.S. DEPARTMENT OF COMMERCE

U.S. Patent & Trademark Office: U.S. DEPARTMENT OF COMMERCE

Of 1 P

		/	· 6		COMPLETE IF KNOWN	
Substitute	for form 1449A/PTO	JAN 2	5 2002	Application Number	09/845,685	
	INFORMATIO	A ISCI OS	HIPE S	Filing Date	04/30/01	
	INFORMATION DISCLOSURE STATEMENT BY OPPLICANT			First Named Inventor	LIN	
	(use as many	sheets neve	EMARK	Group Art Unit	2872	
				Examiner Name	Unknown	
SHEET	4	OF	6	Docket Number	LIGHT1920	

	· · · · ·	OTHER PRIOR ART - NON PATENT LITERATURE DOCUMENTS	
Examiner Initials*	Cite No.1	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published	T ₆
A	74	LEE, T.P. et al., Al _x Ga _{1-x} As Double-Heterostructure Rib-Waveguide Injection Laser, IEEE Journal of Quantum Electronics; VOL QE-11, No.7, July 1975; pg 432-435	
- Ph	75	LIU, Y.L. et al., Silicon 1x2 Digital Optical Switch Using Plasma Dispersion; Electronics Letters, VOL 30, No.2, Jan20, 1994; pg 130-131	
	76	Letter, VOL 2, No.10, Oct 1990, pg 730-733	
	77	MARCATILI, E., Improved Coupled-Mode Equations for Dielectric Guides; IEEE Journal of Quantum Electronics, VOL QE-22, No.6, June 1986; pg 988-993	
K)	78	MARCATILI, E.A.J., Bends in Optical Dielectric Guides; The Bell System Technical Journal, Sep 1969; pg 2103-2132	
Ph	79	pg 2071-2101 pg 2071-2101 pg 2071-2101	
Zh	80	MARCATILI, E.A.J., Slab-Coupled Waveguides; The Bell System Technical Journal, April 1974; American Telephone & Telegraph Company, VOL 53, No.4, April 1974	
ASI	81	MIRZA, A.R. et al, Silicon Wafer Bonding For MFMS Manufacturing, Solid State Technology, Aug. 1899, 179, 79	
R	82	of Selected Topics in Quantum electronics, VOL 3, No.6, Dec. 1997, pg 1308-1320	
11/1	83	MULLER, G. et al., First Low Loss InP/InGaAsP Optical Switch with Integrated Made Transformers, Th.CA2.40. D. G. 7.40.	
File	84	June 1988; pg 1146-1152 Waveguides, Journal of Lightwave Technology, VOL 6, No.6,	
Do	85	NEGAMI, t. et al., Guided-Wave Optical Wavelength Demultiplexer Using An Asymmetric Y Junction; Appl. Phys. Lett. 54 (12), Mar 20, 1989; pg	
	86	NELSON, W. et al., Optical Switching Expands Communications-Network Capacity, Laser Focus World, Jun 1994, pg 517-520	
61	87		
\mathcal{H}			
	88	LT-4, No.10, Oct 1986, pg 1445-1453	
	89	OFFREIN, B.J. et al., Resonant Coupler-Based Tunable Add-After-Drop Filter in Silicon-Oxynitride Technology for WDM Networks, Journal of Selected Topics in Quantum Electronics, Vol. 5-No. 5, 1400-1405.	
9	90	OKAMOTO, K. et al., Arrayed-Wayequide Grating Multipleyer With Flat Spectral Research Online Letter 1.	
11/2	91	OKAMOTO, K. et al., Flat Spectreal Response Arrayed-Waveguide Grating Multiplexer with Parabolic Waveguide Horns, Electronics Letters Online, July 15, 1996, No. 19961120, pp. 1661-1662.	
W	92	OKAYAMA, H. et al., 8x8 Ti:LiNbO ₃ Waveguide Digital Optical Switch Matrix IEICE Trops Commun. VOL 577.0 https://doi.org/10.1007/10.1	
	93	19970607.	
1	94	OKAYAMA, H. et al., Reduction of Voltage-Length Product for Y-Branch Digital Optical Switch, Journal of Lightwave Technology, VOL 11, No.2, Feb 1993; pg 379-387	
14	95	OKUNO, M. et al., Strictly Nonblocking 16x16 Matrix Switch Using Silica Resed Planer Lightween Circuits VOL 40 N. Co.	
11/	96	OOBA, N. et al., Athermal Silica-Based Arrayed-Waveguide Grating Multiplexer Using Bimetal Plate Temperature Compensator, Electronics Letters, 12th October 2000, Vol. 36, No. 21, pp 1800-1801	

Examiner Signature

Date Considered

5/21/02

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

¹Unique citation designation number. ²See attached Kinds of U.S. Patent Documents. ³Enter Office that issued the document, by the two letter-code (WIPO Standard ST.3). ⁴For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. ⁵Kind of document by the appropriate symbols as indicated on the document under WIPO Standard St. 16 if possible. ⁶Applicant is to place a check mark here if English language translation is attached.

PTO/SB/08B (08-00)

ved for use through 10/31/2002. OMB 0651-003

U.S. Patent & Trademark Office: U.S. DEPARTMENT OF COMMERCE Under the Paperwork Reduction of 1995, no persons are required to response to a collection of information unless it contains a valid OMB number.

	COMPLETE IF KNOWN
Application Number	09/845,685
Filing Date	04/30/01
First Named Inventor	LIN
Group Art Unit	2872
Examiner Name	Unknown
Docket Number	LIGHT1920
	First Named Inventor Group Art Unit Examiner Name

		OTHER PRIOR ART - NON PATENT LITERATURE DOCUMENTS	
Examiner Initials*	Cite No.1	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published	T ₆
Fy)	97	RENAUD, M. et al., Compact Digital Optical Switches for Low Insertion Loss Large Switch Arrays on InP; Proc. 21st Eur. Conf. on Opt. Comm.	
	98	RICKMAN, A.G. et al., Silicon-on-Insulator Optical Rib Waveguide Loss and Mode Characteristics, Journal of Lightwave Technology, October 1994, Vol. 12-No. 10, pp 1771-1776	
R)	99	ROLLAND, C. et al., 10 Gbit/s, 1.56 µm, Multiquantum Well InP/InGaAsP Mach-Zehnder Optical Modulator, Electronics Letters, Mar 4, 1993, VOL 29, No.5, pg 471-472	
	100	Santec Sales Brochure for year 2000 entitled "Optical Components"	
M.	101	SCHAUWECKER, B. et al, Small-Size Silicon-Oxynitride AWG Demultiplexer Operating Around 725 nm, IEEE Photonics Technology Letters, Vol. 12 No. 12, December 2000	
165 165 165 165 165 165 165 165 165 165	102	SCHLACHETZKI, A. Monolithic IO-Technology-Modulators and Switches Based on InP; SPIE VOL 651 Integrated Optical Circuit Engineering III	
M.	103	SILBERBERG, Y. et al., Digital Optical Switch; Appl. Phys. Lett.; VOL 51, No.16, Oct 19, 1987, pg 152-154	
	104	SWIT, M.K., New Focusing and Dispersive Planar Component Based on an Ontical Phase I.A.	
K	105	Electronics Letters; Mar 31, 1988, VOL 24, No.7; Pg 385-386 SMITH, S.D. et al., CW Operation of Corner Cavity Semiconductor Lasers; IEEE Photonics Technology Letters, VOL 5, No.8, Aug 1993; pg 876-	
(h)	106		
[3]	107	SNEH, A. et al., Compact Low Crosstalk and Low Propagation Loss Quantum-Well Y-Branch Switches; PDP 4-1 ~ 4-5 SOOLE, J.B.D. et al., Use of Multimode Interference Couplers to Broaden the Passband of Wavelength-Dispersive Integrated WDM Filters; IEEE Photonics Technology Letters, VOL 8, No.10, Oct 1996; pp. 1340-1342	
	108	Photonics Technology Letters, VOL 8, No.10, Oct 1996; pg 1340-1342 STOLL Let al. 1.8 Onticel Matrix Switch and 1996; pg 1340-1342	
11/2	109	STOLL, L. et al., 1:8 Optical Matrix Switch on InP/InGaASP with Integrated Mode Transformers; Optical Switches and Modulators II, pg 531-534	
13	110		
[7]	111	STUTIUS, W. et al, Silicon Nitride Films On Silicon For Optical Waveguides, Applied Optics, VOL 16, No.12, Dec 1977, pg 303-307 SUGIE, T. et al., 1.3-µm Laser Diodes with a Butt-jointed Selectively Grown Spot-Size Converter, ThB2-6, IOOC95, pg 52-53 TADA, K. et al., Ripolar Transitor Confine Microthyland Selectively Grown Spot-Size Converter, ThB2-6, IOOC95, pg 52-53	
17	112		
		TADA, K. et al., Bipolar Transistor Carrier-Injected Optical Modulator/Switch: Proposal and Analysis, IEEE Electron Device Letters, VOL EDL-7, TAKADA et al., Optical Spectrum coal provide a contraction of the contraction	
1	113	TAKADA, et al., Optical Spectrum analyzer using Cascaded AWG's with Different Channel Spacings, Photonics Technology Letters, July 1999, Vol.	
V/ +		TAKAHASHI, H. et al., Arrayed Waveguide Grating for Wavelength Division Multi/Demultilexer with Nanometre Resolution, PWG-NTT-7 TAKIGUCHI, K. et al., Dispersion Companyation Union Plants and Publishers Plants and Publis	
Ly,	115	Vol. 6, No. 4, pp. 561-564.	
N,	116	TIEN, P.K. et al., Formation of Light-Guiding Interconnections in an Integrated Optical Circuit by Composite Tapered-Film Coupling; Applied Optics, VOL 12, No. 8, Aug 1973; pg 1909-1916	
1/	117	TOYODA et al., Thermoplastic Switch and Wavelength Tunable Filter using Polymer Waveguides, Abstract of paper presented at Opticomm 2001 on August 22, 2001.	
M	118	TREYZ, G.V. et al., Silicon Optical Modulators at 1.3 µm Based on Free-Carrier Absorption; IEEE Electron Device Letters, VOL 12, No.6, June 1991; pg 276-278	
W	119	TSUDA, H. et al., Performance Analysis of a Dispersion Compensator Using Arrayed-Waveguide Gratings, Journal of Lightwave Technology, August 2000, Vol. 18-No.8, pp 1139-1147.	

Examiner Signature Date Considered 12 Examiner Signature

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

¹Unique citation designation number. ²See attached Kinds of U.S. Patent Documents. ³Enter Office that issued the document, by the two letter-code (WIPO Standard ST.3). For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. Kind of document by the appropriate symbols as indicated on the document under WIPO Standard St. 16 if possible. Applicant is to place a check mark here if English language translation is attached.

PTO/SB/08B (08-00)

ed for use through 10/31/2002. OMB 0651-003 U.S. Patent & Trademark Office: U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Action of 1995, no persons are required to response to a collection of information unless it contains a valid OMB number.

		/	. 5 \	T		*t
Cubattus f.		JAN	AU a E		COMPLETE IF KNOWN	
	r form 1449A/PTO	\$ OAH	2 5 2002	Application Number	09/845,685	
INFORMATION DECLOSURE STATEMENT BY APPLICANT (use as many sheets necessary) Example 1. The state of the stat				Filing Date	04/30/01	
				First Named Inventor	LIN	
				Group Art Unit	2872	
				Examiner Name	Unknown	
SHEET	6	OF	6	Docket Number	LIGHT1920	

		OTHER PRIOR ART - NON PATENT LITERATURE DOCUMENTS					
Examiner Initials*	Cite No.1	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published					
	120	TSUDE, H. et al., Second- and Third-Order Dispersion Compensator Using a High-Resolution Arrayed Waveguide Grating, IEEE Photonics Technology Letters, May 1999, Vol. 11-No. 5, 569-571					
M	121	VINCHANT et al, InP 4x4 Digital-Optical-Switch Module For Multiwavelength Cross-Connect Applications; OFC '95 Technical Digest, Thursday ThK2, pg 281-282	 -				
Film-	122	VINCHANT, J.F. et al., First Polarisation insensitive 4x4 Switch matrix on InP with Digital Optical Switches, TuB7.3, pg 341-344	 				
B)	123	1993; pg 301-307 IEE Proceedings-J, VOL 140, No.5, Oct	 -				
B	124	VINCHANT, J.F. et al., Low Driving Voltage or Current Digital Optical Switch on InP for Multiwavelength System Applications; Electronics Letters, VOL 28, No.12, Jun 4, 1992; pg 1135-1137	†				
h),	125	WAKITA, K. et al., Long Wavelength Waveguide Multiple Quantum Well Optical Modulators; IEEE Journal of Quantum Electronics, VOL QE-23, No.12, Dec 1987, pg 2210-2215					
15/ _	126	WANRU, Z. et al., Total Internal Reflection Optical Switch with Injection Region Isolated by Oxygen Ion Implantation; pg 1-10	 				
h)	127	Technology, March 1998, Vol. 16-No. 3, pp. 364-371					
h	128	YANAGAWA, H. et al., Polarization-and Wavelength-Insensitive Guided-Wave Optical Switch with Semiconductor Y Junction; Journal of Lightwave Technology, VOL 8, No.8, Aug 1990, pg 1192-1197					
	129	YU, S. et al., High Speed All-Optical Packet Routing Using A Vertical Coupler Crosspoint Space Switch					
M	130	Couplers, Integrated Optical Crosspoint Switch Arrays. Siyuan Yu et a. CPD24-2					
	131	ZENGERLE, R. et al., Tapered Twin Waveguides For Spot-Size Transformation In Ind. The D3 5-1000 05					
	132	Photonics Technology Letters, April 1994, Vol. 6-No. 4, no. 516-517					
	133	ZUCKER, J.E. et al., Strained Quantum Wells for Polarization-Independent Electrooptic Waveguide Switches, Journal of Lightwave Technology, VOL 10, No.12, Dec 1992, pg 1926-1930					
ist.							
13							
1.							

Examiner Signature Bate Considered

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Unique citation designation number. ²See attached Kinds of U.S. Patent Documents. ³Enter Office that issued the document, by the two letter-code (WIPO Standard ST.3). For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. Kind of document by the appropriate symbols as indicated on the document under WIPO Standard St. 16 if possible. ⁶Applicant is to place a check mark here if English language translation is attached.